

## INVITATION FOR QUOTATION

TEQIP-II/2014/CG1G02/Shopping/54

12-Dec-2014

To,

### Sub: Invitation for Quotations for supply of Goods

Dear Sir,

1. You are invited to submit your most competitive quotation for the following goods with item wise detailed specifications given at Annexure I,

Sr. No	Brief Description	Quantity	Delivery Period(In days)	Place of Delivery	Installation Requirement (if any)
1	Outdoor Access Point	20	60	Principal, Government Engineering College, Jagdalpur, Dhrampura-3, Chhattishgarh-494005	Yes
2	Outdoor Antenna	20	60	Principal, Government Engineering College, Jagdalpur, Dhrampura-3, Chhattishgarh-494005	Yes
3	Power Over Ethernet Adapter	50	60	Principal, Government Engineering College, Jagdalpur, Dhrampura-3, Chhattishgarh-494005	Yes

2. Government of India has received a credit from the International Development Association (IDA) towards the cost of the **Technical Education Quality Improvement Programme[TEQIP]-Phase II** Project and intends to apply part of the proceeds of this credit to eligible payments under the contract for which this invitation for quotations is issued.
3. Quotation,
  - 3.1 The contract shall be for the full quantity as described above.
  - 3.2 Corrections, if any, shall be made by crossing out, initialing, dating and re writing.
  - 3.3 All duties and other levies payable by the supplier under the contract shall be included in the unit price.
  - 3.4 Applicable taxes shall be quoted separately for all items.
  - 3.5 The prices quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
  - 3.6 The Prices should be quoted in Indian Rupees only.
4. Each bidder shall submit only one quotation.
5. Quotation shall remain valid for a period not less than **55** days after the last date of quotation submission.
6. Evaluation of Quotations,

The Purchaser will evaluate and compare the quotations determined to be substantially responsive i.e. which

  - 6.1 are properly signed ; and
  - 6.2 confirm to the terms and conditions, and specifications.
7. The Quotations would be evaluated for all items together.
8. Award of contract:

The Purchaser will award the contract to the bidder whose quotation has been determined to be substantially responsive and who has offered the lowest evaluated quotation price.

  - 8.1 Notwithstanding the above, the Purchaser reserves the right to accept or reject any quotations and to cancel the bidding process and reject all quotations at any time prior to the award of contract.

8.2 The bidder whose bid is accepted will be notified of the award of contract by the Purchaser prior to expiration of the quotation validity period. The terms of the accepted offer shall be incorporated in the purchase order.

9. Payment shall be made in Indian Rupees as follows:

**Delivery and Installation - 100% of total cost**

**Satisfactory Acceptance - 0% of total cost**

10. All supplied items are under warranty of **12** months from the date of successful acceptance of items.

11. You are requested to provide your offer latest by **16:00** hours on **30-Dec-2014** .

12. Detailed specifications of the items are at Annexure I.

13. Training Clause (if any) **No**

14. Testing/Installation Clause (if any) **Yes**

15. Information brochures/ Product catalogue, if any must be accompanied with the quotation clearly indicating the model quoted for.

16. Sealed quotation to be submitted/ delivered at the address mentioned below,

Government Engineering College, Jagdalpur, Dhramapura-3, Jagdalpur, Bastar

17. We look forward to receiving your quotation and thank you for your interest in this project.

(Authorized Signatory)

Name & Designation

## Annexure I

Sr. No	Item Name	Specifications
1	Outdoor Access Point	Enclosure Characteristics Outdoor UV Stabilized Plastic, Processor MIPS 74Kc, Memory 128 MB DDR2 SDRAM, 16 MB NOR FLASH, Networking Interface (1) 10/100/1000 Mbps, RF Connections (2) RP-SMA (Waterproof ), Max. Power Consumption 8.5W, Power Supply 24V, 0.5A Gigabit PoE Adapter, Power Method Passive PoE (Pairs 4, 5+; 7, 8 Return), ESD/EMP Protection $\pm 24\text{KV}$ Air / Contact, Operating Temperature $-40$ to $80^{\circ}\text{C}$ ( $-40$ to $176^{\circ}\text{F}$ ), Operating Humidity 5 to 95% Noncondensing, Shock and Vibration ETSI300-019-1.4, Software Information: Modes Access Point, Station, Services Web Server, SNMP, SSH Server, Telnet , Ping Watchdog, DHCP, NAT, Bridging, Routing, Utilities Antenna Alignment Tool, Discovery Utility, Site Survey, Ping, Traceroute, Speed Test, Distance Adjustment Dynamic Ack and Ackless Mode, Power Adjustment Software Adjustable UI or CLI, Security WPA2 AES, QoS Supports Packet Level Classification WMM and User Customer Level: High/Medium/Low, Statistical Reporting Up Time, Packet Errors, Data Rates, Wireless Distance, Ethernet Link Rate, Remote Reset Support, Software Enabled/Disabled, VLAN Support, 256QAM, 20/40/50/60/80 MHz Channel Width Support, Specific Features: 50 MHz Channels, Traffic Shaping with Burst Support, Discovery Protocol, Frequency Band Offset, Wireless Approvals FCC, IC, CE, RoHS Compliance, Operating Frequency: Worldwide: 5150 - 5875 MHz. Output Power: 27 dBm, 450+ Mbps Throughput.
2	Outdoor Antenna	Frequency Range: 5.1-5.8 GHz, Gain: 30 dBi, Hpol Beamwidth: 5 deg. (3 dB), Vpol Beamwidth: 5 deg. (6 dB), F/B Ratio: -34 dB, Max VSWR: 1.4:1, Wind Survivability: 120 mph, Polarization: Dual Linear, Cross-pol Isolation: 35 dB min, Mounting: Universal pole mount, bracket, and weatherproof RF jumpers included.
3	Power Over Ethernet Adapter	"POE-24-12W-G, Output Voltage-24VDC @ 0.5A, Gigabit LAN Port, Remote Reset Capability, Reset Button, Input Voltage-90-260VAC @ 47-63 Hz, Input Current-0.3A @ 120VAC or 0.2A @ 240VAC, Inrush Current-<30A Peak @120VAC or <60A Peak @ 230VAC, Efficiency-75+%, Output Ripple-1% Max., Switching Frequency-50 kHz, Line Regulation- $\pm 1\%$ , Load Regulation-

		<p>± 3%, 2-Pair Powering- Pins 4, 5 (+) and Pins 7, 8 (-), Operating Temperature-0 to 40° C (32 to 104° F), Operating Humidity-35 to 95% Non-Condensing, Data IN / POE-RJ45 Shielded Socket, Clamping Protection-11V Data, 60V Power, Max. Surge Discharge-1500A (8/20µS) Power, Peak Pulse Current-36A (10/1000µS) Data, Shunt Capacitance: &lt;5 pf data, Response Time: &lt;1 nS."</p>
--	--	---

### FORMAT FOR QUOTATION SUBMISSION

(In letterhead of the supplier with seal)

Date: \_\_\_\_\_

To:

\_\_\_\_\_  
\_\_\_\_\_

Sl. No.	Description of goods (with full Specifications)	Qty.	Unit	Quoted Unit rate in Rs.  (Including Ex Factory price, excise duty, packing and forwarding, transportation, insurance, other local costs incidental to delivery and warranty/ guaranty commitments)	Total Price (A)	Sales tax and other taxes payable	
						In %	In figures (B)
Total Cost							

Gross Total Cost (A+B): Rs. \_\_\_\_\_

We agree to supply the above goods in accordance with the technical specifications for a total contract price of Rs. ————— (Amount in figures) (Rupees —————amount in words) within the period specified in the Invitation for Quotations.

We confirm that the normal commercial warranty/ guarantee of ————— months shall apply to the offered items and we also confirm to agree with terms and conditions as mentioned in the Invitation Letter.

We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf will engage in bribery.

Signature of Supplier

Name: \_\_\_\_\_

Address: \_\_\_\_\_

Contact No: \_\_\_\_\_